

Safety Data Sheet AAP AHS CLEAR COAT PROTECTANT

Revised 24 May 2021

Section 1. Identification of the Substance/Preparation and of the Company/Undertaking

Product Name Material number	AAP AHS CLEAR COAT PROTECTANT V19701
Recommended use	Transportation wash
Australian Distributor	Velocity Vehicle Care Pty Ltd 10 Holmwood Rd, Tottenham, VIC, 3012 Ph: 1300 990 074 Fax: 03 8669 4179 Email: <u>orders@velocityvehiclecare.com</u>
Emergency Number	Australia: 1800 127 406
NZ Distributor	Velocity Vehicle Care NZ Ltd Level 4 3 London St, Hamilton, 3204 Phone: 0800 483 562 (0800 4 VELOC) Fax: 07 974 9540 Email: orders@velocityvehiclecare.com
Emergency Number	New Zealand: 0800 243 622
Overseas Supplier	Zep Inc

SECTION 2. HAZARDS IDENTIFICATION

Dangerous Goods Classification

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code 7th ed.) for transport by Road and Rail.

Classified as a Dangerous Good under NZS 5433:2012 Transport of Dangerous Goods on Land.

GHS Classification

Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) 7th ed.

Flammable Liquid	Category 3
Aspiration hazard	Category 1
Skin corrosion	Category 1B
Serious eye damage	Category 1
Skin sensitisation	Category 1
Specific target organ toxicity - single exposure	Category 3
Acute toxicity (Oral)	Category 4
Acute aquatic toxicity ¹	Category 2

GHS label elements

Hazard pictograms



 1 Not applicable under Australian workplace regulations. Page 1 of 10



Version 4.2	Safety Data Sheet Revised 24 May 2021 AAP AHS CLEAR COAT PROTECTANT	
Signal Word	DANGER	
Hazard statements	H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H336 May cause drowsiness or dizziness H302 Harmful if swallowed. H401 Toxic to aquatic life. ²	
Precautionary statements	 Prevention P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240 Ground and bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P260 Do not breathe mists. P264 Wash exposed skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace P280 Wear protective gloves, protective clothing, eye protection & face protection. Response: P301 + P330 + P331 + P310 IF SWALLOWED: Rinse mouth. Do NOT induct vomiting. Immediately call a doctor or medical centre. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin (or hair) with shower. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a doctor or medical centre. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P363 Wash contaminated clothing before reuse. P370 + P378 In case of fire: Use alcohol-resistant foam, carbon dioxide (C2) or dry chemical to extinguish. Strage: P403 + P405 + P233 Store locked up in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local regulations. 	е

 $^{^2}$ Not applicable under Australian workplace regulations. Page 2 of 10



Safety Data Sheet AAP AHS CLEAR COAT PROTECTANT

Revised 24 May 2021

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
Distillates (petroleum), straight-run middle	64741-44-2	≥ 30 - < 50
Quaternary ammonium compounds, dicoco alkyl dimethyl, chlorides	61789-77-3	≥ 10 - < 20
2-butoxyethanol	111-76-2	≥ 10 - < 20
Amines, tallow alkyl, ethoxylated	61791-26-2	≥ 10 - < 20
Propan-2-ol	67-63-0	≥ 5 - < 10
Orange Vanilla fragrance	Mixture	≥ 5 - < 10

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	Move out of dangerous area. Get medical attention immediately. Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later. Do not leave the victim unattended.
If inhaled	Move to fresh air. If unconscious place in recovery position and seek medical advice. If symptoms persist, call a doctor.
In case of skin contact	Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash contaminated clothing before re-use. If skin irritation persists after medical treatment, call a doctor.
In case of eye contact	Small amounts splashed into eyes can cause irreversible tissue damage and blindness. Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Continue rinsing eyes during transport to hospital. Protect unharmed eye. Keep eye wide open while rinsing.
If swallowed	Clean mouth with water and drink afterwards plenty of water. Keep respiratory tract clear. DO NOT induce vomiting unless directed to do so by a doctor or Poison Centre. Never give anything by mouth to an unconscious person. Take victim immediately to hospital.
Most important symptoms and effects, both acute and delayed	Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain. Effects are dependent on exposure (dose, concentration, contact time). Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness. Symptoms may include shortness of breath, dry cough, and irritation of the nose, eyes, lips, mouth, and throat. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Harmful if swallowed. Review section 2 of SDS Review section 2 of SDS to see all potential hazards.
Notes to physician	Treat symptomatically. Symptoms may be delayed.



Safety Data Sheet AAP AHS CLEAR COAT PROTECTANT

Revised 24 May 2021

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media Specific hazards during	High volume water jet Do not allow run-off from firefighting to enter drains or water
firefighting	courses.
Hazardous combustion products	Carbon dioxide (CO2) Carbon monoxide Smoke Nitrogen oxides (NOx)
Specific extinguishing methods	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. Use non-sparking equipment.
Environmental precautions	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).



Safety Data Sheet AAP AHS CLEAR COAT PROTECTANT

Revised 24 May 2021

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Do not breathe vapours or spray mist. No smoking.
Conditions for safe storage	Keep container tightly closed in a dry and well- ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	Strong oxidizing agents.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-butoxyethanol	111-76-2	TWA	20 ppm (96.9 mg/m ³)	SWA
		STEL	50 ppm (242 mg/m ³)	SWA
		TWA	25 ppm (120 mg/m ³)	NZ WES
propan-2-ol	67-63-0	TWA	400 ppm (983	SWA
			mg/m ³)	
		STEL	500 ppm (1230	SWA/NZ WES
			mg/m ³)	

Biological occupational exposure limits

Component	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
2-butoxyethanol	111-76-2	Butoxyacetic acid (BAA)	Urine	End of shift (As soon as possible after exposure ceases)	200 mg/g Creatinine	ACGIH BEI
propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work week	40 mg/l	ACGIH BEI



Version 4.2	Safety Data Sheet AAP AHS CLEAR COAT PROTECTANT	Revised 24 May 2021
Engineering measures	Effective exhaust ventilation system.	
Personal protective equipment		
Respiratory protection Hand protection Eye protection	Use respiratory protection unless adequate local eventilation is provided, or exposure assessment demonstrates that exposures are within recommenter exposure guidelines. Filter should protect against Elbow-length impervious gloves Chemical goggles, face shield.	nded
Skin and body protection	Impervious clothing Choose body protection according to the amount a concentration of the dangerous substance at the v	
Hygiene measures	Handle in accordance with good industrial hygiene practices. Remove and wash contaminated clothir use. Wash face, hands and any exposed skin thor handling. Provide suitable wash facilities for quick or flushing of the eyes and body in case of contact hazard	ng before re- oughly after drenching

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Colour	liquid brown
Odour	aromatic
Odour Threshold	No data available
рН	6.5-9.5
Melting point/freezing point	No data available
Boiling point	No data available
Flash point	48°C Method: closed cup
Evaporation rate	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Vapour pressure	No data available
Relative vapour density	No data available
Density Water solubility	0.89 - 0.91 g/cm ³ soluble in hot and cold water
Solubility in other solvents Partition coefficient: n- octanol/water	Not determined No data available
Auto-ignition temperature	Not determined
Thermal decomposition	No data available
Viscosity, kinematic	No data available

SECTION 10. STABILITY AND REACTIVITY



Version 4.2	Safety Data Sheet AAP AHS CLEAR COAT PROTECTANT	Revised 24 May 2021
Reactivity	Stable	
Chemical stability	Stable under normal conditions.	
Possibility of hazardous reactions	Vapours may form explosive mixture with air. No decomposition if stored and applied as directed	d.
Conditions to avoid	Heat, flames and sparks.	
Incompatible materials Hazardous decomposition products	Oxidizing agents Carbon monoxide, carbon dioxide and unburned h (smoke).	nydrocarbons

SECTION 11. TOXICOLOGICAL INFORMATION

Information on possible routes of exposure	Possible workplace exposure routes are: Inhalation, Eye contact, Skin contact
Acute symptoms related to exposure	
Еуе	A severe eye irritant. Corrosive to eyes; contact can cause corneal burns. Contamination of eyes can result in permanent injury
Skin	Corrosive to skin - may cause skin burns. Contact with skin will result in
Inhalation	severe irritation, possible blistering and pain. Breathing in mists or aerosols may produce respiratory irritation. Symptoms may also include central nervous system depression, resulting in headache, nausea and/or dizziness, shortness of breath, dry cough, and irritation of the nose, lips, mouth, and throat.
Ingestion	Swallowing can result in nausea, vomiting, diarrhoea, abdominal pain and chemical burns to the gastrointestinal tract.
Acute oral toxicity	Acute toxicity estimate: 1,950 mg/kg Method: Calculation method
Acute inhalation toxicity	Acute toxicity estimate: 41.51 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Skin corrosion/irritation	Extremely corrosive and destructive to tissue
Serious eye damage/eye irritation	May cause irreversible eye damage
Respiratory or skin sensitisation	May cause skin sensitisation.
Germ cell mutagenicity	No data available
Carcinogenicity	No data available
Reproductive toxicity	No data available
STOT - single exposure	No data available
STOT - repeated exposure	Repeated skin or prolonged contact may cause dermatitis
Aspiration toxicity Components (Ingredients)	No data available
Acute oral toxicity	2-butoxyethanol: LD50 Rat: 880 mg/kg propan-2-ol LD50 Rat: 4,396 mg/kg Method: Calculation method
Acute inhalation toxicity	No data



Version 4.2	Safety Data Sheet
Acute dermal toxicity	2-butoxyethanol: LD50 Rabbit: 1,060 mg/kg
Skin corrosion/irritation	No data
Serious eye damage/eye irritation	No data
Respiratory or skin sensitisation	No data
Germ cell mutagenicity	No data
Carcinogenicity	No data
Reproductive toxicity	No data
STOT - repeated exposure	No data

Revised 24 May 2021

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

The ingredients distillates (petroleum), straight-run middle and quaternary ammonium compounds, dicoco alkyl dimethyl, chlorides are toxic to the aquatic environment. This product has not been tested, however according to GHS criteria, this mixture is classified as (acute) toxic to aquatic life

Persistence and degradability

No data available

Bioaccumulative potential

Partition coefficient: n- octanol/water

Remarks: No data available

Mobility in soil No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	Do not dispose of waste into sewer. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Container must remain labelled until all traces and residues have been removed. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION



Safety Data Sheet AAP AHS CLEAR COAT PROTECTANT

Revised 24 May 2021

Road and Rail Transport

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS. Classified as a Dangerous Good according to NZS 5433:2012 Transport of Dangerous Goods on Land.

UN	1993
Class	3
Sub risk	N/A
Packing Group	III
Proper shipping name	Flammable Liquid N.O.S. (Contains isopropanol)
HAZCHEM	3Y

Marine Transport

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS

UN	1993
Class	3
Sub risk	N/A
Packing Group	III
Proper shipping name	Flammable Liquid N.O.S. (Contains isopropanol)
EMS/Spill	F-E, S-D
Marine Pollutant	No

Air Transport

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

	······································
UN	1993
Class	3
Sub risk	N/A
Packing Group	III
Proper shipping name	Flammable Liquid N.O.S. (Contains isopropanol)

SECTION 15. REGULATORY INFORMATION

AICS	All substances listed
POISONS SCHEDULE	S5
NZ Approval code	Cleaning Products (Flammable) Group Standard 2020
	HSR002528



Safety Data Sheet AAP AHS CLEAR COAT PROTECTANT

Revised 24 May 2021

SECTION 16. OTHER INFORMATION

Acronyms

AICS	Australian Inventory of Chemical Substances
SWA	Safe Work Australia
NZ	New Zealand
IARC	International Agency for Research on Cancer
WES	Workplace Exposure Standards
GHS	Globally Harmonised System of Classification and Labelling of Chemicals
HSNO	Hazardous Substances and New Organisms
EMS	Emergency Spill Procedures
STOT	Specific Target Organ Toxicity
TWA	Time Weighted Average
STEL	Short-Term Exposure Limit
CAS	Chemical Abstracts Service

Version:	4.2
Revision Date:	24/05/2021
Print Date:	31/05/2021 10:04:00 AM

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical[™], Selig[™], Misty®, Next Dimension[™], Petro®, i-Chem®, TimeMist®, TimeWick[™], MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National[™], FC Forward Chemicals®,Rexodan®, Mykal[™], and a number of private labeled brands.

1300 990 074 www.velocityvehiclecare.com ©2022 NCS Vehicle Care Inc

